



ENTRY DOORS TORONTO INC.

Quality is not an act, it is a habit!

GERDA®

**SECURITY DOORS FOR APARTMENT AND OFFICE
SECURITY INTERIOR DOORS FOR YOUR HOME**



**SECURITY
INTERIOR DOORS**

STAR | PREMIUM | COMFORT


NEW ARRIVALS

GERDA®

OUR STANDARD PROVIDES YOU WITH MORE THAN OTHERS

WITH OUR CUSTOMERS IN MIND, THE TEAM OF ENGINEERS AND CONSTRUCTORS IS CONSTANTLY WORKING ON MODIFICATIONS THAT IMPROVE SAFETY AND COMFORT OF USE

ADJUSTABLE 3D HINGE




The new hinges with 3-way adjustments are now standard in the COMFORT 60 and PREMIUM 60 lines. This solution provides a very convenient and quick way of adjusting the door, without having to dismantle the leaf from the frame.

ADJUSTABLE LATCH CATCH OF THE HANDLE



An adjustable latch catch is offered in all the doors from the apartment doors offer. It enables the smooth adjustment of the leaf pressure to the gaskets. Thanks to this solution, adjusting the pressure is always easy (reduce or increase the pressure on the gasket).


IMPROVED ACOUSTIC PACK



The use of innovative gaskets in leaves and FRAMES that form one plane provides very good acoustic properties. Noise from the staircase does not penetrate the apartment.





PREMIUM LOCKS AS STANDARD



All apartment doors have been equipped with PREMIUM locks, in which deadbolts with a safe design have been reinforced by 30%. Additionally, market-unique reinforcement of internal deadbolts made of hardened steel has been applied.



LARGE SELECTION OF ESCUTCHEONS AND HANDLES



The possibility to customise the appearance of the door thanks to a wide range of oval, oblong and split ESCUTCHEONS in the COMFORT and PREMIUM series.

YOU DECIDE WHAT YOUR DOOR WILL LOOK LIKE

PANEL-TYPE DOORS HAVE A MULTI-LAYER LEAF WITH A STEEL BOX BODY AND REPLACEABLE CLADDINGS ON BOTH SIDES

PANEL STRUCTURE

Panel doors will be perfect as apartment front doors and their appearance can be customised. The panels are mounted to the steel body making the door sturdier and bracing the leaf. Upon the customer's request, the panels can vary in colour on the inside and the outside. The well-thought-out method of mounting the panels to the body enables easy disassembly and replacement in case of damage or rearrangement, without the need for a costly replacement of the entire door.



**DISMANTLE
THE EXISTING PANEL**



**CHOOSE A COLOUR
FROM THE ELITE
PACKAGE**



**ENJOY THE NEW LOOK
OF YOUR DOOR**

COMFORT AND SAFETY

GERDA®

WHAT YOU SHOULD KNOW ABOUT GERDA DOORS



ANTI-BURGLARY

All our doors are structurally reinforced, with solutions that make it difficult to force them open. They are also equipped with an anti-burglary lock cylinder, which is what GERDA is renowned for. However, for the antiburglary parameters to be confirmed, the door must pass specialised tests and trials for RC2, RC3 and RC4 classes, concluded with the issuance of an appropriate certificate. GERDA doors possess such certificates and approvals. They can be downloaded at any time from www.gerda.pl. The doors offered by GERDA can be bought in class RC2, RC3 and RC4 (detailed explanations at the bottom of the page).



EXCELLENT ACOUSTIC COMFORT

When buying a door, acoustic comfort must be taken into consideration in order to ensure that as little sound as possible comes into our apartment. The sound reduction index (R_w) is expressed in dB (decibels). The higher the value of the index, the better the sound reduction of the door. Our apartment doors have a very good sound reduction index (from 33 to even 47 dB). If there is 80 dB of sound coming from the outside (this corresponds to loud music) it will be reduced from 33-47 dB to even 33 dB, which is the level of a silent conversation.






FIRE PROTECTION





In our offer of GERDA apartment doors, you can also choose a fire protection pack (available in the PREMIUM 60 series). Fire-resistant doors are designed to stop the spread of fire and smoke. Products with the aforementioned properties are marked with the symbol EI (fire integrity criterion - E and fireproof insulation - I). GERDA offers doors with EI30, EI45 and EI60 parameters which mean the protection lasts for 30, 45 and 60 minutes respectively. The owner of such a door has a guarantee that the flames will not pass through the door for the indicated time and that the door temperature will not cause the fire to spread. The smoke-proofing class is S200.

ANTI-BURGLARY CLASSES

RC2 CLASS

-  PLIERS
-  WEDGE
-  HAMMER

RC3 CLASS

-  STEEL CROWBAR
-  WEDGE
-  HAMMER
-  MECHANICAL DRILL

RC4 CLASS

-  HEAVY HAMMER
-  AXE
-  GOUGE
-  CHISEL
-  DRILL

tedee PRO

powered by GERDA®

TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

SET

tedee PRO SMARTLOCK + tedee BRIDGE + CLASS 6 LOCK CYLINDER

HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know as you can charge the battery overnight.

SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP

DOWNLOAD THE **tedee** APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUE-TOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE **tedee** LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

GERDA®
DOOR COLLECTION

PREMIUM PRODUCT

GERDA®



STAR 60



ANTI-BURGLARY PROTECTION CLASS RC4



LEAF THICKNESS 60 / 70 mm



SOUND REDUCTION INDEX 43 / 47 dB



ELITE PANEL CONSTRUCTION*



PREMIUM 60



ANTI-BURGLARY PROTECTION CLASS RC2 / RC3* / RC4*



LEAF THICKNESS 60 / 70* mm



SOUND REDUCTION INDEX 42 dB



FIRE RESISTANCE CLASS* EI30 / EI45 / EI60
AND SMOKE TIGHTNESS CLASS* S₂₀₀



ELITE PANEL CONSTRUCTION*



COMFORT 60



ANTI-BURGLARY PROTECTION CLASS RC2 / RC3*








LEAF THICKNESS 60 mm



SOUND REDUCTION INDEX 30 / 33* dB



PARAMETERS

	ANTI-BURGLARY PROTECTION CLASS	RC4
	LEAF THICKNESS / WITH ELITE PACKAGE*	60 / 70* mm
	SOUND REDUCTION INDEX / ELITE PACKAGE*	43 / 47* dB
	LEAF STRUCTURE	POLYURETHANE FOAM FILLING + SOUNDPROOFING PACK + LATTICE
	DOOR SIZES	80N, 80, 90N, 90E, 100E*

RC4


GERDA®
STAR 60

EXCELLENT ACOUSTIC COMFORT AND THE HIGHEST LEVEL OF SAFETY



UNIQUE TUBULAR KEY

Patented RIM6000 lock cylinder with a tubular key with over 4 billion code combinations.




FILLING

HCFC-free polyurethane foam with a soundproofing plate providing excellent acoustic performance.




LATTICE

A lattice with thickened steel channel bars and hardened rods in the steel body of the door leaf.




VIEWER

Wide-angle viewer as standard with a very good optical performance.




ADDITIONAL LOCK

Additional class 6 lock with a class 5 or class 6 lock cylinder.



**MAIN LOCK
14 LOCKING POINTS**

Unique class 7 main lock with 11 mobile and thickened bolts.



AUXILIARY LOCKS

Auxiliary upper and lower locks controlled from the main lock.




3 THREE-PIECE HINGES

Reinforced three-piece hinges with a disassembly lock and elegant caps.



3 MOVABLE DEADBOLTS

Reinforced horizontal deadbolts on the hinge sides controlled from the main lock.




3 FIXED BOLTS

Fixed bolts protecting against forcing the door.


DOOR FRAMES



FA



FT



FA PORTAL for door portal or door trim installation



FT PORTAL for door portal or door trim installation



RIGID CHAIN*

WOO PLAIN



WOO PLAIN

DOOR LEAF DESIGNS WITH INOX INSERTS*



TML TOKIO 1 INSERT

TMM TOKIO 2 INSERT

SIZE	80N	80	90N	90E	100E*
------	-----	----	-----	-----	-------

MODEL

STAR 60

WOO PLAIN

RC4 STANDARD EQUIPMENT

STAR 60 DOOR LEAF (43 dB)	WIDE-ANGLE VIEWER
DOOR FRAME WITH SEAL	TECHNO HANDLES
3-PIECE HINGES WITH CAPS MATCHING FITTING'S COLOUR	CLASS 6 MAIN LOCK CYLINDER
LAMINATED THRESHOLD WITH SEAL 19 mm / 32 mm	CLASS 5 ADDITIONAL LOCK CYLINDER
FITTINGS SET WITH LOCK CYLINDER PROTECTION	

EXTRA CHARGES

SIZE 100E	2.4" ELECTRONIC VIEWER
TWO-COLOUR DOOR	4.3" ELECTRONIC VIEWER
DOOR SHORTENING (20, 30, 40, 50, 60, 70 mm)	INOX THRESHOLD WITH SEAL HEIGHT 19 OR 32 mm
ELITE PACKAGE – PLAIN PANEL	NORWEGIAN WOODEN THRESHOLD WITH SEAL 19 mm
ELITE PACKAGE – PATTERN PANEL	NORWEGIAN WOODEN THRESHOLD WITH ALUMINIUM STRIP AND SEAL HEIGHT 28 mm
SINGLE-SIDE PATTERN	NORWEGIAN WOODEN THRESHOLD WITH WOODEN STRIP AND SEAL HEIGHT 35 mm ¹
TML TOKIO 1 INSERT, TMM TOKIO 2 INSERT	RIGID CHAIN (WITHOUT ELITE PACKAGE) ^{1,2}
DOUBLE-SIDE PATTERN	
TML TOKIO 1 INSERT, TMM TOKIO 2 INSERT	
KNOB-HANDLE	tedee PRO SET
ADDITIONAL LOCK CLASS 6 CYLINDER	
PRE-ASSEMBLED DOOR ³	

¹ For frames extended by 6 mm, with the DPO mounting system.

² For frames with the DPO mounting system (frame dowel joint), metal doors.

³ For selected configurations of door frames and thresholds.

DOOR COLOURS (INCLUDING PANELS, SKIRTING BOARDS AND FRAMES OF THE ELITE PACKAGE*)

ALPINE WALNUT FRR	BRAZIL WALNUT FRB	LIGHT WALNUT FRP	GOLDEN OAK FDE	WINCHESTER FDW	LIGHT WENGE FEJ
WHITENED WENGE FBJ	WHITE FSB	STEEL GREY FKZ	ANTHRACITE FKG	DARK ANTHRACITE FKF	BLACK FKC

ADDITIONAL COLOURS OF ELITE PACKAGE PANELS*


SILICON FKL FLAT DESIGN ONLY	MARBLE FKA FLAT DESIGN ONLY	HEMATITE FDF FLAT DESIGN ONLY	QUARTZ FKH FLAT DESIGN ONLY	WENGE FEE
------------------------------------	-----------------------------------	-------------------------------------	-----------------------------------	--------------

ADDITIONAL COLOURS OF SKIRTING BOARDS AND FRAMES OF THE ELITE PACKAGE*

GREY FKT	DARK BROWN FKX	WENGE FEE
-------------	-------------------	--------------

EXCELLENT ACOUSTIC COMFORT AND THE HIGHEST LEVEL OF SAFETY

DOOR LEAF DESIGNS
WITH ELITE PACKAGE*



RHH ELITE package



R00 PLAIN ELITE package



RLF ELITE package



VA3 ELITE package




VA4 ELITE package

FITTINGS

RC4

RIM 6000
TECHNO



DUO-COLOUR
FITTINGS

SATIN NICKEL



GLOSSY CHROME

1 rigid chain
(without ELITE package)*

DOOR FRAMES

FA



FT




THRESHOLDS

LAMINATED




WITH SEAL
HEIGHT 19 mm

INOX*




WITH SEAL
HEIGHT 19 mm

LAMINATED / INOX*




WITH SEAL
HEIGHT 32 mm


NORWEGIAN WOODEN*
(brown, light brown, light)



WITH SEAL
HEIGHT 19 mm










WITH ALUMINUM STRIP
AND SEAL, HEIGHT 28 mm



WITH WOODEN STRIP
AND SEAL, HEIGHT 35 mm



PARAMETERS


	ANTI-BURGLARY PROTECTION CLASS	RC2 / RC3* / RC4*
	LEAF THICKNESS / WITH ELITE PACKAGE*	60 / 70* mm
	SOUND REDUCTION INDEX	42 dB
	FILLING	SPECIAL SOUNDPROOFING PACKAGE
	FIRE RESISTANCE CLASS (FR)*	EI30^{AB} / EI45^B / EI60^A
	SMOKE TIGHTNESS CLASS	S200 (IN THE EI30^{AB} / EI45^B / EI60^A DOORS)
	DOOR SIZES	80N, 80, 90N, 90Z, 100E^{C*}

A. EI30 AND EI60 AVAILABLE IN RC2 AND RC3 CLASS*
 B. EI30 AND EI45 AVAILABLE IN RC4 CLASS*
 C. SIZE 100E NOT AVAILABLE IN RC4 AND EI60 CLASS*

RC2 / RC3* / RC4*

GERDA® PREMIUM 60

HIGH LEVEL OF SAFETY AND ACOUSTIC COMFORT ALSO IN THE FIRE-RESISTANT VERSION




VERTICAL DEADBOLT*

Anti-burglary vertical deadbolt controlled from the main lock. Available in the RC3 pack.




FILLING

Special filling for good acoustic comfort.



HARDENED BARS*

Specially developed design of thickened and hardened steel bar protecting against burglary. Available in RC3 and RC4 class.



EI30D* / EI45D* / EI60D*

PREMIUM 60 doors are also available with the fire-resistant pack.



VIEWER

Wide-angle viewer as standard with a very good optical performance.



ADDITIONAL LOCK

Additional top lock with burglar-proof class 5 or class 6 lock cylinder.



MAIN LOCK

Class 7 main lock with reinforced deadbolt construction with class 5 or class 6 anti-burglary lock cylinder.




AUXILIARY LOCKS*

Lower and upper auxiliary locks with a double deadbolt system controlled from the main lock. Available as a pack RC3 (1 pc) (lower) and RC4 (3 pc).




3D HINGE WITH CAPS

Hinges adjustable in three planes with caps matching fitting's colour.



2 MOVABLE DEADBOLTS*

Reinforced horizontal deadbolts on the hinge sides controlled from the main lock. Available in RC4 class.



2 FIXED BOLTS

Fixed bolts protecting against forcing the door.


DOOR FRAMES



FA



FT



FA PORTAL

for door portal or door trim installation



FT PORTAL

for door portal or door trim installation



KEYED ALIKE SINGLE KEY SYSTEM



RIGID CHAIN*

WOO PLAIN



WOO PLAIN

DOOR LEAF DESIGNS WITH INOX INSERTS*



TMM TOKIO 1
INSERT

TMM TOKIO 2
INSERT

SIZE	80N	80	90N	90Z	100E*
-------------	-----	----	-----	-----	-------

MODEL	PREMIUM 60				
--------------	-------------------	--	--	--	--

WOO PLAIN

RC2 STANDARD ELEMENTS

PREMIUM 60 DOOR LEAF (42 dB)	FITTINGS SET WITH MAIN LOCK CYLINDER PROTECTION
DOOR FRAME WITH SEAL	WIDE-ANGLE VIEWER
ADJUSTABLE 3D HINGES WITH CAPS MATCHING FITTING'S COLOUR	HANDLES: BLOK, BERGEN OR OSLO
LAMINATED THRESHOLD WITH SEAL 19 mm OR 32 mm	CLASS 5 LOCK CYLINDERS, KEYED ALIKE SYSTEM

EXTRA CHARGE

RC3 PACKAGE RC4 PACKAGE	CLASS 6 CYLINDERS, KEYED ALIKE SYSTEM (STANDARD IN RC4 PACKAGE)
FIRE RESISTANCE PACKAGE WITH INTEGRATED CLOSER EI30 EI45 EI60	INOX THRESHOLD WITH SEAL HEIGHT 19 OR 32 mm NORWEGIAN WOODEN THRESHOLD WITH SEAL HEIGHT 19 mm NORWEGIAN WOODEN THRESHOLD WITH ALUMINIUM STRIP AND SEAL HEIGHT 28 mm NORWEGIAN WOODEN THRESHOLD WITH WOODEN STRIP AND SEAL HEIGHT 35 mm ¹
2.4" ELECTRONIC VIEWER	SIZE 100E
4.3" ELECTRONIC VIEWER	RIGID CHAIN (WITHOUT RC4, FR AND ELITE PACKAGE) ^{1,2}
TWO-COLOUR DOORS	KNOB-HANDLE
DOOR SHORTENING (20, 30, 40 ³ , 50, 60 ³ , 70 mm) ⁴	UPPER ESCUTCHEON PROTECTION (STANDARD IN FIRE PROTECTION PACKAGE)
ELITE PACKAGE – FLAT PANEL ELITE PACKAGE – PATTERN PANEL	PRE-ASSEMBLED DOOR ⁵
SINGLE-SIDE PATTERN TMM TOKIO 1 INSERT, TMM TOKIO 2 INSERT	tedee PRO SET
DOUBLE-SIDE PATTERN TMM TOKIO 1 INSERT, TMM TOKIO 2 INSERT	
DOOR HEIGHT RAISED 100 mm PREMIUM 60 (RC2, RC3) +EI30 PREMIUM 60X (RC2, RC3) +EI30	

¹ For frames extended by 6 mm, with the DPO mounting system.
² For frames with the DPO mounting system (frame dowel joint), metal door.

³ Not applicable to fire-resistant doors.
⁴ In RC4 package cutting down in the range of 20, 35 mm.
⁵ For selected configurations of door frames and thresholds.

DOOR COLOURS (INCLUDING PANELS, SKIRTING BOARDS AND FRAMES OF THE ELITE PACKAGE*)

ALPINE WALNUT FRR	BRAZIL WALNUT FRB	LIGHT WALNUT FRP	GOLDEN OAK FDE	WINCHESTER FDW	LIGHT WENGE FEJ
WHITENED WENGE FBJ	WHITE FSB	STEEL GREY FKZ	ANTHRACITE FKG	DARK ANTHRACITE FKF	BLACK FKC

ADDITIONAL COLOURS OF ELITE PACKAGE PANELS*

SILICON FKL FLAT DESIGN ONLY	MARBLE FKA FLAT DESIGN ONLY	HEMATITE FDF FLAT DESIGN ONLY	QUARTZ FKH FLAT DESIGN ONLY	WENGE FEE
---	--	--	--	---------------------

ADDITIONAL COLOURS OF SKIRTING BOARDS AND FRAMES OF THE ELITE PACKAGE*


GREY FKT	DARK BROWN FKX	WENGE FEE
--------------------	--------------------------	---------------------

SAFETY AND ACOUSTICS IN MANY ARRANGEMENTS

DOOR LEAF DESIGNS
WITH ELITE PACKAGE*



RLF ELITE package




RHH ELITE package



VA3 ELITE package








VA4 ELITE package



R00 PLAIN ELITE package

- 1 upper escutcheon without lock cylinder protection
- 2 upper escutcheon with lock cylinder protection (FR standard)*
- 3 rigid chain (without packages RC4, FR, ELITE)*
- 4 OSLO escutcheon not available for FR package

FITTINGS



FITTINGS COLOUR
BERGEN, BLOK

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



FITTINGS COLOUR
OSLO

SATIN NICKEL



DOOR FRAMES

FA



FT




THRESHOLDS

LAMINATED




WITH SEAL
HEIGHT 19 mm

INOX*



WITH SEAL
HEIGHT 19 mm

LAMINATED / INOX*




WITH SEAL
HEIGHT 32 mm


NORWEGIAN WOODEN*
(brown, light brown, light)



WITH SEAL
HEIGHT 19 mm






WITH ALUMINUM STRIP
AND SEAL, HEIGHT 28 mm



WITH WOODEN STRIP
AND SEAL, HEIGHT 35 mm




PARAMETERS

	ANTI-BURGLARY PROTECTION CLASS	RC2 / RC3*
	LEAF THICKNESS	60 mm
	SOUND REDUCTION INDEX	30 / 33* dB
	FILLING	SOUNDPROOFING PACKAGE
	DOOR SIZES	80N, 80, 90N, 90Z, 100E*

RC2 / RC3*

GERDA® COMFORT 60

GREAT COMFORT AND SAFETY AT A GOOD PRICE



VERTICAL DEADBOLT*

Anti-burglary vertical bar controlled from the main lock. Available in the RC3 package.




FILLING

Special filling providing good acoustic comfort.



BARS*

Specially developed design of thickened and hardened steel bar protecting against burglary. Available in RC3 class.




VIEWER

Wide-angle viewer as standard with very good optical parameters.



3D HINGE WITH CAPS

Hinges adjustable in three planes with caps matching fitting's colour.




ADDITIONAL LOCK

Additional class 6 top lock with an anti-burglary class 5 or 6 lock cylinder.





MAIN LOCK

Class 7 main lock with thickened and reinforced deadbolt with class 5 or class 6 anti-burglar lock cylinder.



AUXILIARY LOCK*

Bottom auxiliary lock with double deadbolt system controlled from the main lock. Available in RC3 pack.




2 FIXED BOLTS

Fixed bolts protecting against forcing the door.




RIGID CHAIN*




SINGLE KEY SYSTEM

DOOR FRAMES



FD




FN




FA*



FT*



FA PORTAL* for door portal or door trim installation



FT PORTAL* for door portal or door trim installation

GREAT COMFORT AND SAFETY AT A GOOD PRICE

WOO PLAIN



WOO PLAIN

DOOR LEAF DESIGNS
WITH INOX INSERTS*



**TML TOKIO 1
INSERT**



**TMM TOKIO 2
INSERT**

SIZE	80N	80	90N	90Z	100E*
-------------	-----	----	-----	-----	-------

MODEL COMFORT 60

WOO PLAIN

RC2 STANDARD ELEMENTS

COMFORT 60 DOOR LEAF (30 dB)	FITTINGS SET WITH MAIN LOCK CYLINDER PROTECTION
DOOR FRAME WITHOUT SEAL	WIDE-ANGLE VIEWER
ADJUSTABLE 3D HINGES WITH CAPS MATCHING FITTING'S COLOUR	HANDLES: BLOK, BERGEN OR OSLO
LAMINATED THRESHOLD WITH SEAL 19 mm OR 32 mm	CLASS 5 LOCK CYLINDERS, KEYED ALIKE SYSTEM

EXTRA CHARGES

SOUNDPROOFING PACKAGE 33 dB	CLASS 6 CYLINDERS, KEYED ALIKE SYSTEM
DOOR FRAME WITH SEAL	2.4" ELECTRONIC VIEWER
RC3 PACKAGE	4.3" ELECTRONIC VIEWER
SIZE 100E	INOX THRESHOLD WITH SEAL HEIGHT 19 OR 32 mm
DOOR SHORTENING (20, 30, 40, 50, 60, 70 mm)	NORWEGIAN WOODEN THRESHOLD WITH SEAL HEIGHT 19 mm
SINGLE-SIDE PATTERN TML TOKIO 1 INSERT, TMM TOKIO 2 INSERT	NORWEGIAN WOODEN THRESHOLD WITH ALUMINIUM STRIP AND SEAL HEIGHT 28 mm
DOUBLE-SIDE PATTERN TML TOKIO 1 INSERT, TMM TOKIO 2 INSERT	NORWEGIAN WOODEN THRESHOLD WITH WOODEN STRIP AND SEAL HEIGHT 35 mm
TWO-COLOUR DOORS	RIGID CHAIN ^{1,2}
KNOB-HANDLE	UPPER ESCUTCHEON PROTECTION
DEEP DEBOSSING ³ DOUBLE-SIDED DESIGN: W13 LONDYN DEBOSSING ⁴ , TMT TOKIO 1 DEBOSSING, TMU TOKIO 2 DEBOSSING, SR4 TROMSO 1 DEBOSSING	PRE-ASSEMBLED DOOR ⁵
100 mm HIGHER DOOR	tedee PRO SET

¹ For frames extended by 6 mm, with the DPO mounting system.
² For frames with the DPO mounting system (frame dowel joint), metal door.

³ Patterns available for Comfort 60 RC2 / RC3 (30 dB).
⁴ Not available for door size 80N.

⁵ For selected configurations of door frames and thresholds.

DOOR FRAMES

FD



FN



FA*



FT*



DOOR COLOURS

ALPINE WALNUT

FRR

BRAZIL WALNUT

FRB

LIGHT WALNUT

FRP

GOLDEN OAK

FDE

WINCHESTER

FDW

LIGHT WENGE

FEJ

WHITENED WENGE

FBJ

WHITE

FSB

STEEL GREY

FKZ

ANTHRACITE

FKG

DARK ANTHRACITE

FKF

BLACK

FKC

DOOR LEAF DESIGNS
WITH DEEP DEBOSSING*



W13 LONDYN DEBOSSING



TMT TOKIO 1 DEBOSSING



TMU TOKIO 2 DEBOSSING



SR4 TROMSO 1 DEBOSSING


THRESHOLDS

LAMINATED




WITH SEAL
HEIGHT 19 mm

INOX*



WITH SEAL
HEIGHT 19 mm

LAMINATED / INOX*




WITH SEAL
HEIGHT 32 mm


NORWEGIAN WOODEN*
(brown, light brown, light)



WITH SEAL
HEIGHT 19 mm



WITH ALUMINUM STRIP
AND SEAL, HEIGHT 28 mm




WITH WOODEN STRIP
AND SEAL, HEIGHT 35 mm

- 1 upper escutcheon without lock cylinder protection
- 2 upper escutcheon with lock cylinder protection*
- 3 rigid chain*

FITTINGS

RC2
RC3

BERGEN TW300



RC2

RC3

BERGEN TD200
BERGEN TD300



RC2

BLOK TW200



RC2


RC3

BLOK TD200
BLOK TD300



RC2

OSLO



FITTINGS COLOUR
BERGEN, BLOK

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



FITTINGS COLOUR
OSLO


SATIN NICKEL



PORTALS AND DOOR TRIMS

GERDA®

BRING OUT THE ELEGANCE OF YOUR DOOR




Door trim (2400 x 80 x 12 mm) – available only with FA door frame.

DOOR TRIMS*

This element improves the appearance of the entrance to the apartment. It makes your door stand out among regular doors. It can be applied in GERDA metal doors and with ELITE package in sizes 80N, 80, 90, 90Z, 100E. They are available in sets for one or both door sides.

DOOR PORTALS*

This is a special type of door trim, used in the specific frame casing that visibly brings out the elegance of the door. Much like the door trims, the door portal can be used in GERDA metal doors and with ELITE package in sizes 80N, 80, 90, 90Z, 100E. The decision to purchase door portals should be made already when ordering a door, because they are fixed to special frames available at an extra charge.




COLOUR PALETTE

ALPINE WALNUT	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	LIGHT WENGE	WHITENED WENGE	WHITE	STEEL GREY
FRR	FRB	FRP	FDE	FDW	FEJ	FBJ	FSB	FKZ

CHOOSE A COLOUR FOR YOUR METAL DOOR AND ELITE PACKAGE

DOOR COLOURS INCLUDING PANELS, MOULDING AND FRAMES OF THE ELITE PACKAGE

GOLDEN OAK




WINCHESTER



LIGHT WENGE




ANTHRACITE



DARK ANTHRACITE



BLACK



TURNER OAK




DOOR COLOURS

GERDA®


CHOOSE A COLOUR FOR YOUR METAL DOOR AND ELITE PACKAGE

DOOR COLOURS INCLUDING PANELS, MOULDING AND FRAMES OF THE ELITE PACKAGE


ALPINE WALNUT



BRAZILIAN WALNUT




LIGHT WALNUT




WHITENED WENGE



WHITE



STEEL GREY




CHOOSE A COLOUR FOR YOUR METAL DOOR AND ELITE PACKAGE

ELITE PACKAGE

SILICON



MARBLE



HAEMATITE




QUARTZ




MOULDING AND FRAMES OF ELITE PACKAGE


WENGE



WENGE



DARK BROWN



GREY



GERDA®

SECURITY DOORS FOR APARTMENT AND OFFICE



GERDA door dealer in Canada:

**7321 Victoria Park Ave. unit 20
L3R2Z8 Markham, Ontario Canada
office phone: 416-800-7737,
direct line: 647-800-1627 (Alex Sel)
<https://www.entrydoors-toronto.com/>
e-mail: info@entrydoors-toronto.com**