

# GERDA<sup>®</sup>

PREMIUM DOOR MANUFACTURER



ENTRY DOORS TORONTO INC.

*Quality is not an act, it is a habit!*

## HOUSE DOORS

THERMO PRIME  
THERMO PREMIUM  
OPTIMA



NEW DESIGN AND TECHNOLOGIES

35 YEARS TOGETHER

HIGHEST QUALITY STANDARDS

EDITION 3.2023

# tedee PRO

powered by GERDA®

TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



## OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

### SET

tedee PRO SMARTLOCK + tedee BRIDGE + CLASS 6 LOCK CYLINDER

## HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know as you can charge the battery overnight.

## SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.



## CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



## INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



## INSTALL THE SMARTPHONE APP

DOWNLOAD THE **tedee** APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUE-TOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



## CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE **tedee** LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

# THERMO PRIME & THERMO PREMIUM



**BADEN 1**  
AIR GLASS



**BADEN 2**  
AIR GLASS



**AROSA 1**  
AIR GLASS



**AROSA 2**  
AIR GLASS



**LUCERNA**  
QUADRO



**LOZANNA**  
QUADRO

# THERMO PRIME & THERMO PREMIUM



**THUN**  
QUADRO



**SION**  
QUADRO



**LOCARNO**  
QUADRO



**ONEX**  
QUADRO



**DAVOS**  
ELITE 3D



## ALUMINIUM DOOR PLATES PRAGA

available for all door series

Made of extruded aluminum, it is extremely robust and highly resistant to damage. The PRAGA aluminium door escutcheon with a width of 53 mm and a spacing of 90 mm and 92 mm with an integrated handle ensures quick installation, reliability and perfectly adapts to GERDA exterior doors. The 8.5 mm thick external and internal door plate is equipped with a handle position tensioner, which translates into its high stabilization.

The PRAGA aluminium escutcheon is available in 3 attractive colour variants, which are obtained in the anodizing process (silver anode, black anode, platinum anode). Exterior surfaces are brushed.

Hardware configurations:

- handle-handle
- handle for handrail
- knob-handle



PLATINUM ANODE



SILVER ANODE



BLACK ANODE



## MORTISE LOCK

available for THERMO PRIME and PREMIUM

The new variants of the THERMO PREMIUM 60 and 75 allow you to configure the product with multi-point mortise locks. These are high-quality locks, equipped with a stainless steel list, which are distinguished by failure-free operation and a level of security. Multi-point locks are available in 2 options to choose from: 3-point mechanical lock with two hooks or automatic 3-point lock.

The frames have been equipped with elements enabling full adjustment of latch catches and lock hooks. Exterior doors with mortise locks are operated by a single, burglar-resistant insert. For doors with a hook lock, it is possible to order an additional lock.



3-POINT  
2-HOOK  
MORTISE LOCK



AUTOMATIC  
3-POINT  
MORTISE LOCK



## RING ESCUTCHEON

available for THERMO PREMIUM

The ring escutcheon is now also available for THERMO PREMIUM doors in a configuration with handrails and a mortise lock. Ring escutcheon is available in black or stainless steel.



INOX



BLACK



**NEW DOOR DESIGNS**  
available for THERMO PRIME and PREMIUM

To enrich the offer and expand the range of available solutions, the THERMO PRIME and THERMO PREMIUM door design lines have been expanded with new constructions:

1. AIR GLASS flushed with the door plane
2. QUADRO inserts in modern stylizations
3. classic ELITE 3D enriched with a new design



**DOOR TO SIZE**  
available for THERMO PRIME and PREMIUM

Creating a door to size option gives you the opportunity to adapt them to individual architectural requirements. The height and width of the door is configured in 10 mm increments and takes the following values:

- THERMO PRIME and THERMO PREMIUM max. height: 2400 mm,
- OPTIMA max. height: 2200 mm,
- .max. width of the door is 1130 mm.

The option of door to size, applies to 15 door models: FLAT, MILANO, HANOVER, JENA.



WINDSTOPPER WITH ALUMINIUM DOOR FRAME



WINDSTOPPER WITH STEEL DOOR FRAME



**NEW WINDSTOPPERS**  
available for all door series

Modern windstoppers, which thanks to a special design and the use of 5 mm long feathers, significantly improve tightness and protection against wind and water. The innovative design of windstoppers allows them to be properly adapted to the appropriate width and emphasizes the high aesthetics of the door.








**LONGITUDINAL BOLT SLOTS**  
available for THERMO PREMIUM and OPTIMA

We introduce elongated bolt slots in GERDA door frames instead of single caps. The change will be made successively and applies to doors of the following series: Thermo Premium and Optima. The new covers significantly improve the adjustment of the installed doors, while not affecting the functional properties.



## AIR GLASS / QUADRO

Transparent AIR GLASS gives a unique look to the entire door. The technology of combining the glass with the QUADRO insert is patented. The QUADRO insert, made of stainless steel, is fixed on the plane of the door permanently on metal hooks.

-  AIR GLASS flush with the door plane
-  AIR GLASS between QUADRO inserts
-  insert QUADRO on solid doors
-  QUADRO inserts on glazed doors
-  glass mounted under the door plane





## ELITE 3D

Decorative frames in the doors of the ELITE 3D series are attached to the leaf with special hooks.

-  ELITE 3D frames

## TEMPO


TEMPO designs are a classic combination of practicality, functionality and simplicity of application shapes. Applications use with glazing are available in black or inox colours. Applications are glued to the door surface or debossed.

-  application
-  debossing
-  debossing with insert
-  application on glazed door


## CLASSIC

The CLASSIC series includes a family of doors with decorative deep embossing of the leaf. Among the available designs are glazed and full doors, which gives a lot of freedom of choice. As a special order option, Gerda also introduces deep stamping on the outside of the leaf.

-  deep debossing
-  deep embossing



AIR GLASS BETWEEN QUADRO INSERTS



INSERT QUADRO INSTALLATION



DEEP DEBOSSING

## THERMAL INSULATION


Heat transfer coefficient ( $U_p$ ) indicates the amount of thermal energy passing through the door (including the door frame). Based on this coefficient, we are able to determine the heat loss for a given division. Even a slight loss translates to higher heating costs. The coefficient value depends on the type and thickness of the door's material. Gerda HOUSE DOORS comply with the current standards by using modern technologies and steel-wooden or aluminum door frames.

Gerda doors, depending on the components used, may have different insulation coefficient levels:

- insulation doors
- energy-saving doors
- passive doors

The basic doors in our offer, so-called insulation doors, have a coefficient below  $1.3 \text{ W/m}^2\text{K}$ . The door frame used is a steel PERFOTHERM® frame with thermal perforation, a seal and sill. Energy-saving Optima 60 and Thermo Premium 60 doors have a coefficient starting from  $0.9 \text{ W/m}^2\text{K}$  with a warm aluminum ALUTHERM door frame (with thermal chamber filling and a seal) and  $1.0 \text{ W/m}^2\text{K}$  with DUOTHERM (warm steel-wooden door frame with thermal perforation and seal).

Passive doors are primarily meant to ensure maximum conservation of energy, while increasing the comfort of living. They allow for energy accumulation in the room, which leads to direct savings. Thermo Premium 75 doors feature a heat transfer coefficient from  $0.79 \text{ W/m}^2\text{K}$ . The heat transfer coefficient applies to solid doors with a warm aluminum ALUTHERM door frame.



## RESISTANCE TO BURGLARY

This parameter is decisive for the so-called anti-burglary doors. Such doors have a solid structure that significantly impedes the possibility to cut out an opening through the door, preventing unauthorized entrance. As a standard, GERDA doors are fitted with two robust locks with a multi-point bolting system. Their key element are

anti-prizing bolts that prevent forcing the door leaf or lifting it off the hinges. GERDA doors are tested for resistance to burglary and hold an anti-burglary protection class from RC2 to RC3. The higher the class of doors installed, the greater the safety of people and property in the house.

### RC2 CLASS

- PLIERS
- WEDGE
- HAMMER

### RC3 CLASS

- STEEL PRY BAR
- WEDGE
- HAMMER
- MECHANICAL DRILL






### RC4 CLASS

- HEAVY HAMMER
- AXE
- CHISEL
- BIT
- HAMMER DRILL





 **THERMO PRIME 75**

<b>UD</b>	THERMAL INSULATION U <sub>f</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>ALUTHERM 75 DOOR FRAME SOLID DOOR 0,79 W/m²K GLAZED DOOR 0,9 W/m²K</b>
<b>RC</b>	RESISTANCE CLASS	<b>RC2</b>
	LEAF THICKNESS	<b>75 mm</b>
	DOOR SIZES	<b>80 · 90N · 90E · 100E*</b>
	DESIGN LINES	<b>AIR GLASS · QUADRO · ELITE 3D · TEMPO</b>
	LEAF STRUCTURE	<b>WOODEN FRAME + PUR FOAM</b>
	DOOR TO SIZE	<b>DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm</b>

**ALUTHERM 75 DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

**$U_d = 0,79 / 0,9 \text{ W/m}^2\text{K}$**

**STEEL DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

-

**RC2**



Adjustable hook hitches




Adjustable pawl hitch



Hinges adjustable in three planes with caps matching fitting's colour




Door leaf with thermal division



ALUTHERM 75 door frame



Mortise lock:  
5 point hooked or  
3 point automatic




You can choose NEW long door plate PRAGA or split door plate BERGEN





Ring escutcheon for door with a handrail\*



Composite connector of threshold with windstopper – for more info see page 9



ALUTHERM 75 door frame



4 sides rebated



Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys




Lower upstand brush seal PRIME



Fixed anti-prizing bolts



Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes\*








tedee PRO + bridge set\*

\* EXTRA CHARGE



 **THERMO PREMIUM 75**

<b>UD</b>	THERMAL INSULATION U <sub>f</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>ALUTHERM 75 DOOR FRAME*</b> <b>SOLID DOOR 0,79 W/m<sup>2</sup>K</b> <b>GLAZED DOOR 1,1 W/m<sup>2</sup>K</b>	<b>DUOTHERM 75 DOOR FRAME</b> <b>SOLID DOOR 0,87 W/m<sup>2</sup>K</b> <b>GLAZED DOOR 1,3 W/m<sup>2</sup>K</b>
<b>RC</b>	RESISTANCE CLASS	<b>RC2 / RC3**</b>	
	LEAF THICKNESS	<b>75 mm</b>	
	DOOR SIZES	<b>80 · 90N · 90E · 100E*</b>	
	DESIGN LINES	<b>AIR GLASS · QUADRO · ELITE 3D · TEMPO</b>	
	LEAF STRUCTURE	<b>WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>	
	DOOR TO SIZE	<b>DOOR HEIGHT UP TO 2400 mm</b> <b>DOOR WIDTH UP TO 1130 mm</b>	

**ALUTHERM 75\* DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

**DUOTHERM 75 DOOR FRAME  
SOLID DOOR / GLAZED DOOR**

$U_D = 0,79 / 1,1 \text{ W/m}^2\text{K}$

$U_D = 0,87 / 1,3 \text{ W/m}^2\text{K}$


**RC2 / RC3\*\***



You can choose NEW long door plate PRAGA or split door plate BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys




Hinges adjustable in three planes with caps matching fitting's colour



Adjustable pawl hitch




DUOTHERM 75 door frame




Auxiliary 3-bolt lock




Main 3-bolt lock




Mortise lock 3-point 2-hook\*




Mortise lock 3-point automatic\*




Door leaf with thermal division



Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes\*




ALUTHERM 75\* door frame



DUOTHERM 75 door frame



Composite connector of threshold with windstopper – for more info see page 9



4 sides rebated








tedee PRO + bridge set\*

\* EXTRA CHARGE

\*\* ONLY SOLID DOORS, EXTRA CHARGE



 **THERMO PREMIUM 60**

<b>UD</b>	THERMAL INSULATION U <sub>f</sub> VALUES FOR INWARD-OPENING REFERENCE DOORS	<b>ALUTHERM 60 DOOR FRAME*</b> <b>SOLID DOOR 0,86 W/m²K</b> <b>GLAZED DOOR 1,2 W/m²K</b>	<b>DUOTHERM 60 DOOR FRAME</b> <b>SOLID DOOR 0,94 W/m²K</b> <b>GLAZED DOOR 1,3 W/m²K</b>
<b>RC</b>	RESISTANCE CLASS	<b>RC2 / RC3**</b>	
	LEAF THICKNESS	<b>60 mm</b>	
	DOOR SIZES	<b>80 · 90N · 90E · 100E*</b>	
	DESIGN LINES	<b>AIR GLASS · QUADRO · ELITE 3D · TEMPO</b>	
	LEAF STRUCTURE	<b>WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE</b>	
	DOOR TO SIZE	<b>DOOR HEIGHT UP TO 2400 mm</b> <b>DOOR WIDTH UP TO 1130 mm</b>	

**ALUTHERM 60 DOOR FRAME\***  
SOLID DOOR / GLAZED DOOR

**DUOTHERM 60 DOOR FRAME**  
SOLID DOOR / GLAZED DOOR

$U_D = 0,86 / 1,2 \text{ W/m}^2\text{K}$

$U_D = 0,94 / 1,3 \text{ W/m}^2\text{K}$


**RC2 / RC3\*\***



You can choose NEW long door plate PRAGA or BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in three planes with caps matching fitting's colour




Adjustable pawl hitch




DUOTHERM 60 door frame




Auxiliary 3-bolt lock




Main 3-bolt lock



Mortise lock 3-point 2-hook\*



Mortise lock 3-point automatic\*




Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes\*




ALUTHERM 60\* door frame



DUOTHERM 60 door frame



Composite connector of threshold with windstopper – for more info see page 9



4 sides rebated



tedee PRO + bridge set\*

\* EXTRA CHARGE

\*\* ONLY SOLID DOORS, EXTRA CHARGE

 THERMO PRIME

 THERMO PREMIUM

AIR GLASS



AGK BADEN 1 p. 26



AGL BADEN 2 p. 26



AGM AROSA 1 p. 26



AGN AROSA 2 p. 26



AGB LINZ 1 p. 28



AGC LINZ 2 p. 28



AGDB LINZ 3 B p. 28

QUADRO



KP1 LUCERNA p. 34



KP2 LOZANNA p. 34



KP3 THUN p. 34



KP4 SION p. 34



KW9 LOCARNO p. 36



KWA ONEX p. 36



KWA PASAWA 1 p. 38



KWH BAMBERG 3 p. 42



KWI BAMBERG 4 p. 42



KWJ ULM 1 p. 44



KWK ULM 2 p. 44



KWL TREWIR 1 p. 46



KWM TREWIR 2 p. 46



KWN TREWIR 3 p. 46



KPZ KRONACH 4 p. 52



KPJ REGEN 1 p. 54



KPK REGEN 2 p. 54



KPL REGEN 3 p. 54



KPS REGEN 4 p. 54



KPM REGEN 5 p. 54



KPRB REGEN 6 B p. 54

ELITE 3D



ELF DAVOS p. 60



ELA BRIG p. 60



ELB OLTEN p. 60



ELC VISP p. 60



ELD TRIN p. 60



ELE BERNO p. 60



NS1 MILANO 8 p. 62

TEMPO

 THERMO PRIME

 THERMO PREMIUM

AIR GLASS



AGE GRAZ 1 p. 30



AGF GRAZ 2 p. 30



AGGB GRAZ 3 B p. 30



AGA SALZBURG p. 32



AGA SALZBURG p. 32



AGH VILLACH p. 32



AGHB VILLACH B p. 32

QUADRO



KWB PASAWA 2 p. 38



KWC PASAWA 3 p. 38



KWD PASAWA 4 p. 38



KWE JENA 3 p. 40



KW4 JENA 4 p. 40



KWF BAMBERG 1 p. 42



KWG BAMBERG 2 p. 42



KWP TREWIR 4 p. 46



KWS DORFEN p. 48



KWT KASSEL 1 p. 50



KWX KASSEL 2 p. 50



KPN KRONACH 1 p. 52




KPPB KRONACH 2 B p. 52



KPT KRONACH 3 p. 52



KPE DREZNO 1 p. 56



KPF DREZNO 2 p. 56



KPH DREZNO 4 p. 56



KPAB ERFURT 1 B p. 58



KPA ERFURT 1 p. 58



KPB ERFURT 2 p. 58



KPC ERFURT 3 p. 58

TEMPO



NS2 MILANO 9 p. 62



NS3 MILANO 10 p. 62




NS4 MILANO 11 p. 62



NS5B HANOVER 5 B p. 64



NS6 HANOVER 6 p. 64



NS7 INNSBRUCK p. 64



W00 FLAT p. 66





**AGK BADEN 1**



**AGL BADEN 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>AGK BADEN 1</b>	✓	✓	✓
<b>AGL BADEN 2</b>	✓	✓	✓
<b>AGM AROSA 1</b>	✓	✓	✓
<b>AGN AROSA 2</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• FLUSH AIR GLASS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	



**EXTRA CHARGES**

THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1800 mm 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	ROSTOCK HANDRAIL 2000 mm
KNOB-HANDLE	tedee PRO SET
REED SWITCH	
SIZE 100E	
INTEGRATED CLOSER	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94-95, FULL EQUIPMENT LIST: PAGES 98-105


**GLASS**

**AIR GLASS**




**DOOR COLOURS**


**ALPINE WALNUT**




**MAHOGANY**




**BRAZILIAN WALNUT**




**LIGHT WALNUT**



**GOLDEN OAK**



**WINCHESTER**



**TURNER OAK**





**AGM AROSA 1**



**AGM AROSA 1**  
INTERNAL SIDE



**AGK BADEN 1**  
INTERNAL SIDE



**AGN AROSA 2**




**AGN AROSA 2**  
INTERNAL SIDE




**AGL BADEN 2**  
INTERNAL SIDE


**standard FITTINGS**



**extra charge FITTINGS**



**FITTINGS COLOURS**



**DOOR COLOURS**



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**AGB LINZ 1**



**AGC LINZ 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>AGB LINZ 1 / AGBB LINZ 1 B</b>	✓	✓	✓
<b>AGC LINZ 2 / AGCB LINZ 2 B</b>	✓	✓	✓
<b>AGD LINZ 3 / AGDB LINZ 3 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>4 SIDES REBATED</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>THERMO PRIME – ALUTHERM 75 DOOR FRAME</li> <li>HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>AIR GLASS BETWEEN QUADRO INSERTS</li> <li>SINGLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> </ul>
--	--



**EXTRA CHARGES**

THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, 1800 mm WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
REED SWITCH	ROSTOCK HANDRAIL 2000 mm
SIZE 100E	tedee PRO SET
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105


**GLASS**

**AIR GLASS**




**DOOR COLOURS**

**ALPINE WALNUT**




**FRR**

**MAHOGANY**




**FMA**

**BRAZILIAN WALNUT**




**FRB**

**LIGHT WALNUT**




**FRP**

**GOLDEN OAK**



**FDE**

**WINCHESTER**



**FDW**

**TURNER OAK**



**FDT**



AGD LINZ 3



AGD LINZ 3  
INTERNAL SIDE



AGC LINZ 2



AGDB LINZ 3 B




AGDB LINZ 3 B  
INTERNAL SIDE




AGC LINZ 2

QUADRO INSERT COLOURS




FITTINGS COLOURS




DOOR COLOURS



standard FITTINGS



extra charge FITTINGS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**AGE GRAZ 1**



**AGF GRAZ 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>AGE GRAZ 1 / AGE B GRAZ 1 B</b>	✓	✓	✓
<b>AGF GRAZ 2 / AGFB GRAZ 2 B</b>	✓	✓	✓
<b>AGG GRAZ 3 / AGGB GRAZ 3 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>4 SIDES REBATED</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>THERMO PRIME – ALUTHERM 75 DOOR FRAME</li> <li>HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>AIR GLASS BETWEEN QUADRO INSERTS</li> <li>SINGLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> </ul>
--	--



**EXTRA CHARGES**

THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL 1800 mm HANDRAIL WITH PUSHBUTTON, 1700 mm WITH DOOR LEAF ADJUSTMENT 1500 mm AND ELECTRIC STRIKE 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL 1700 mm WITH WIRELESS PUSHBUTTON 1500 mm ELECTRIC STRIKE NECESSARY
KNOB-HANDLE	
REED SWITCH	ROSTOCK HANDRAIL 2000 mm
SIZE 100E	
INTEGRATED CLOSER	tedee PRO SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105


**GLASS**

**AIR GLASS**




**DOOR COLOURS**

**ALPINE WALNUT**




**FRR**

**MAHOGANY**




**FMA**

**BRAZILIAN WALNUT**




**FRB**

**LIGHT WALNUT**




**FRP**

**GOLDEN OAK**



**FDE**

**WINCHESTER**



**FDW**

**TURNER OAK**



**FDT**



**AGGB GRAZ 3 B**



**AGGB GRAZ 3 B**  
INTERNAL SIDE



**AGF GRAZ 2**  
INTERNAL SIDE



**AGF GRAZ 2**




**AGF GRAZ 2**  
INTERNAL SIDE




**AGF GRAZ 2**

**QUADRO INSERT COLOURS**



**FITTINGS COLOURS**



ONLY FOR HANDRAILS

**DOOR COLOURS**




**TWO-COLOUR DOOR\***



INTERNAL  
EXTERNAL

**standard FITTINGS**



T. PRIME  
T. PREMIUM

HANDLE-HANDLE

THERMO PRIME  
THERMO PREMIUM


THERMO PRIME  
THERMO PREMIUM

KNOB-HANDLE\*

THERMO PRIME  
THERMO PREMIUM

HANDRAIL-HANDLE\*


THERMO PRIME  
THERMO PREMIUM



- AMSTERDAM
- MONTREAL
- ROSTOCK

\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



AGA SALZBURG



AGHB VILLACH B

DOOR SIZE SALZBURG	80	90N	90E	100E*
DOOR SIZE VILLACH	-	-	90E	100E*
DOOR HEIGHT SALZBURG (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
DOOR HEIGHT VILLACH (DUOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGA SALZBURG / AGAB SALZBURG B	✓	✓	✓
AGH VILLACH / AGHB VILLACH B	✓	✓	✓

RC2 STANDARD EQUIPMENT\*\*

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• AIR GLASS BETWEEN QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	


EXTRA CHARGES

AGH VILLACH / AGHB VILLACH B	2150 mm, 2200 mm
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm,	2250 mm, 2300 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1800 mm 1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
REED SWITCH	2000 mm
SIZE 100E	
INTEGRATED CLOSER	ROSTOCK HANDRAIL 2000 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	tedee PRO SET THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105


GLASS

AIR GLASS




DOOR COLOURS

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT



**AGH VILLACH**



**AGH VILLACH  
INTERNAL SIDE**



**AGA SALZBURG**




**AGA SALZBURG  
INTERNAL SIDE**




**AGA SALZBURG  
INTERNAL SIDE**


**standard FITTINGS**




**extra charge FITTINGS**



**QUADRO INSERT COLOURS**



**FITTINGS COLOURS**



**DOOR COLOURS**



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N





KP1 LUCERNA



KP2B LOZANNA B

DOOR SIZE LOZANNA, THUN, SION	80	90N	90E	100E*
DOOR SIZE LUCERNA	-	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KP1 LUCERNA / KP1B LUCERNA B	✓	✓	✓
KP2 LOZANNA / KP2B LOZANNA B	✓	✓	✓
KP3 THUN / KP3B THUN B	✓	✓	✓
KP4 SION / KP4B SION B	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
- FITTINGS SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK


**EXTRA CHARGES**

THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1800 mm 1700 mm
RC3 PACK	1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1700 mm 1500 mm
KNOB-HANDLE	ROSTOCK HANDRAIL 2000 mm
REED SWITCH	
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)
INSERT – OPPOSITE SIDE	
INTEGRATED CLOSER	tedee PRO SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105


**DOOR COLOURS**

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK



FDE

WINCHESTER



FDW

TURNER OAK



FDT



**KP1B LUCERNA B**



**KP4 SION**




**KP4 SION**



**KP3B THUN B**




**KP3 THUN**




**KPS THUN**  
INTERNAL SIDE

**standard FITTINGS**



**extra charge FITTINGS**



**QUADRO INSERT COLOURS**



**DOOR COLOURS**



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KW9 LOCARNO**



**KVAB ONEX B**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KW9 LOCARNO / KW9B LOCARNO B</b>	✓	✓	✓
<b>KVA ONEX / KVAB ONEX B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***


• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**


THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
		1700 mm
TWO-COLOUR DOOR		1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
KNOB-HANDLE	ROSTOCK HANDRAIL	2000 mm
REED SWITCH	DOOR SHORTENING (10, 20, 30, 40 mm)	
SIZE 100E	tedee PRO SET	
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





**KW9 LOCARNO**



**KW9B LOCARNO B**



**KW9 LOCARNO**



**KVA ONEX**




**KVA ONEX  
INTERNAL SIDE**




**KVAB ONEX B**

**standard FITTINGS**



**extra charge FITTINGS**



**QUADRO INSERT COLOURS**



**DOOR COLOURS**



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KWA PASAWA 1**



**KWB PASAWA 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWA PASAWA 1 / KWAB PASAWA 1 B</b>	✓	✓	✓
<b>KWB PASAWA 2 / KWBB PASAWA 2 B</b>	✓	✓	✓
<b>KWC PASAWA 3 / KWCB PASAWA 3 B</b>	✓	✓	✓
<b>KWD PASAWA 4 / KWDB PASAWA 4 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***


• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**


AGH VILLACH / AGHB VILLACH B	2150 mm, 2200 mm
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm,	2250 mm, 2300 mm
AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm 1000 mm
TWO-COLOUR DOOR	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	ROSTOCK HANDRAIL 2000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	DOOR SHORTENING KWA, KWB, KWC (10, 20, 30, 40 mm), KWD (10, 20, 30, 40, 60, 80, 100 mm)
KNOB-HANDLE	tedee PRO SET
REED SWITCH	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>
SIZE 100E	
INTEGRATED CLOSER	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**






KWCB PASAWA 3 B



KWD PASAWA 4



KWD PASAWA 4  
INTERNAL SIDE



KWA PASAWA 1




KWA PASAWA 1  
INTERNAL SIDE




KWC PASAWA 3

standard FITTINGS



extra charge FITTINGS



QUADRO INSERT COLOURS



ONLY FOR HANDRAILS

DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KW3 JENA 3**



**KW4 JENA 4**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KW3 JENA 3</b>	✓	✓	✓
<b>KW4 JENA 4</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***


• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2250 mm, 2350 mm,	2200 mm, 2300 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1700 mm, 1500 mm, 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm, 1700 mm, 1500 mm, 1000 mm
TWO-COLOUR DOOR	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm, 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	ROSTOCK HANDRAIL	2000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
KNOB-HANDLE	DOOR TO SIZE, INCREMENTS EVERY 10 mm, Hmax=2400 mm, Smax=1130 mm ONLY WITH ALUTHERM DOOR FRAME	
REED SWITCH		
SIZE 100E		
INTEGRATED CLOSER	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





KW4 JENA 4



KW4 JENA 4  
INTERNAL SIDE




KW3 JENA 3




KW3 JENA 3  
INTERNAL SIDE



standard FITTINGS



extra charge FITTINGS



FITTINGS COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N





**KWF BAMBERG 1**



**KWG BAMBERG 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWF BAMBERG 1 / KWFB BAMBERG 1 B</b>	✓	✓	✓
<b>KWG BAMBERG 2 / KWGB BAMBERG 2 B</b>	✓	✓	✓
<b>KWH BAMBERG 3 / KWHB BAMBERG 3 B</b>	✓	✓	✓
<b>KWI BAMBERG 4 / KWIB BAMBERG 4 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***


<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>4 SIDES REBATED</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>THERMO PRIME – ALUTHERM 75 DOOR FRAME</li> <li>HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>QUADRO INSERTS</li> <li>GLASS UNDERNEATH THE DOOR PLANE</li> <li>SINGLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> </ul>
---	--

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm	2250 mm, 2300 mm	2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME			1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC		AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1700 mm 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK			1000 mm
TWO-COLOUR DOOR		AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm 1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		ROSTOCK HANDRAIL	2000 mm
KNOB-HANDLE			
REED SWITCH		DOOR SHORTENING (10, 20, 30, 40 mm)	
SIZE 100E			
INTEGRATED CLOSER		tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





KWH BAMBERG 3



KWI BAMBERG 4



KWI BAMBERG 4  
INTERNAL SIDE



KWF BAMBERG 1




KWF BAMBERG 1  
INTERNAL SIDE




KWH BAMBERG 3

standard FITTINGS



extra charge FITTINGS



QUADRO INSERT COLOURS



ONLY FOR HANDRAILS

DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KWJB ULM 1 B**



**KWK ULM 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KWJ ULM 1 / KWJB ULM 1 B</b>	✓	✓	-
<b>KWK ULM 2 / KWKB ULM 2 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm	
	2250 mm, 2300 mm	
	2350 mm, 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1700 mm 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm 1700 mm 1500 mm 1000 mm
TWO-COLOUR DOOR	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	ROSTOCK HANDRAIL	2000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
KNOB-HANDLE	<b>tedee PRO SET</b>	
REED SWITCH	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	<b>no extra charge</b>
SIZE 100E		
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





KWJ ULM 1



KWJ ULM 1  
INTERNAL SIDE




KWK ULM 2




KWK ULM 2  
INTERNAL SIDE

QUADRO INSERT COLOURS




FITTINGS COLOURS




DOOR COLOURS



standard FITTINGS



extra charge FITTINGS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KWL TREWIR 1**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
<b>KWL TREWIR 1 / KWLB TREWIR 1 B</b>	✓	✓	✓
<b>KWM TREWIR 2 / KWMB TREWIR 2 B</b>	✓	✓	✓
<b>KWN TREWIR 3 / KWNB TREWIR 3 B</b>	✓	✓	✓
<b>KWP TREWIR 4 / KWPB TREWIR 4 B</b>	✓	✓	✓
<b>KW7 TREWIR 7 / KW7B TREWIR 7 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>4 SIDES REBATED</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>THERMO PRIME – ALUTHERM 75 DOOR FRAME</li> <li>HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>QUADRO INSERTS</li> <li>GLASS UNDERNEATH THE DOOR PLANE</li> <li>SINGLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> </ul>
---	--



**KWMB TREWIR 2 B**

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKf, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1800 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT 1700 mm AND ELECTRIC STRIKE 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1800 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
KNOB-HANDLE	ROSTOCK HANDRAIL 2000 mm
REED SWITCH	DOOR SHORTENING (10, 20, 30, 40 mm)
SIZE 100E	
INTEGRATED CLOSER	tedee PRO SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





KWN TREWIR 3



KWP TREWIR 4



KW7 TREWIR 7



KWL TREWIR 1




KWL TREWIR 1  
INTERNAL SIDE




KWMB TREWIR 2 B


standard FITTINGS




extra charge FITTINGS



QUADRO INSERT COLOURS



FITTINGS COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KWSB DORFEN B**



**KWS DORFEN**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KWS DORFEN / KWSB DORFEN B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>4 SIDES REBATED</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>THERMO PRIME – ALUTHERM 75 DOOR FRAME</li> <li>HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>QUADRO INSERTS</li> <li>GLASS UNDERNEATH THE DOOR PLANE</li> <li>SINGLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN</li> <li>THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> </ul>
---	--

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL 1800 mm HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
TWO-COLOUR DOOR	AMSTERDAM HANDRAIL 1700 mm WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	ROSTOCK HANDRAIL 2000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	DOOR SHORTENING (10, 20, 30, 40 mm)
KNOB-HANDLE	<b>tedee PRO SET</b>
REED SWITCH	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>
SIZE 100E	
INTEGRATED CLOSER	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 94-95, FULL EQUIPMENT LIST: PAGES 98-105

**GLASS**



**DOOR COLOURS**





KWS DORFEN



KWS DORFEN  
INTERNAL SIDE




KWS DORFEN




KWS DORFEN  
INTERNAL SIDE

QUADRO INSERT COLOURS




FITTINGS COLOURS




DOOR COLOURS



standard FITTINGS



extra charge FITTINGS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N





**KWT KASSEL 1**



**KWX KASSEL 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KWT KASSEL 1 / KWTB KASSEL 1 B</b>	✓	✓	✓
<b>KWX KASSEL 2 / KWXB KASSEL 2 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***


• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm	2250 mm, 2300 mm	2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME			1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL		1700 mm
	ELECTRIC STRIKE RECOMMENDED		1500 mm
			1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE		1800 mm
			1700 mm
			1500 mm
TWO-COLOUR DOOR			1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON		1700 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	ELECTRIC STRIKE NECESSARY		1500 mm
KNOB-HANDLE	ROSTOCK HANDRAIL		2000 mm
REED SWITCH	DOOR SHORTENING (10, 20, 30, 40 mm)		
SIZE 100E			
INTEGRATED CLOSER	<b>tedee PRO SET</b>		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK		<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**GLASS**



**DOOR COLOURS**





KWXB KASSEL 2 B



KWXB KASSEL 2 B



KWXB KASSEL 2 B  
INTERNAL SIDE



KWT KASSEL 1




KWT KASSEL 1  
INTERNAL SIDE




KWT KASSEL 1


standard FITTINGS




extra charge FITTINGS



QUADRO INSERT COLOURS



FITTINGS COLOURS




DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



KPN KRONACH 1



KPPB KRONACH 2 B

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPN KRONACH 1 / KPNB KRONACH 1 B	✓	✓	✓
KPP KRONACH 2 / KPPB KRONACH 2 B	✓	✓	✓
KPT KRONACH 3 / KPTB KRONACH 3 B	✓	✓	-
KPZ KRONACH 4 / KPZB KRONACH 4 B	✓	✓	-

RC2 STANDARD EQUIPMENT\*\*


• SOLID DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	

EXTRA CHARGES

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	1800 mm
RC3 PACKAGE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
KNOB-HANDLE	
REED SWITCH	ROSTOCK HANDRAIL 2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)
INSERT AND APPLICATION – OPPOSITE SIDE	tedee PRO SET
INSERT – OPPOSITE SIDE	
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

DOOR COLOURS





KPT KRONACH 3




KPZ KRONACH 4



KRONACH  
INTERNAL SIDE



KPN KRONACH 1




KRONACH  
INTERNAL SIDE




KPP KRONACH 2

standard FITTINGS



extra charge FITTINGS



QUADRO INSERT COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KPJ REGEN 1**



**KPK REGEN 2**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KPJ REGEN 1 / KPJB REGEN 1 B</b>	✓	✓	✓
<b>KPK REGEN 2 / KPKB REGEN 2 B</b>	✓	✓	✓
<b>KPL REGEN 3 / KPLB REGEN 3 B</b>	✓	✓	✓
<b>KPS REGEN 4 / KPSB REGEN 4 B</b>	✓	✓	✓
<b>KPM REGEN 5 / KPMB REGEN 5 B</b>	✓	✓	✓
<b>KPR REGEN 6 / KPRB REGEN 6 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

• SOLID DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKf, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED 1700 mm 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	1800 mm
RC3 PACKAGE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
REED SWITCH	
SIZE 100E	ROSTOCK HANDRAIL 2000 mm
INSERT AND APPLICATION – OPPOSITE SIDE	DOOR SHORTENING (10, 20, 30, 40 mm)
INSERT – OPPOSITE SIDE	tedee PRO SET
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**DOOR COLOURS**

<b>ALPINE WALNUT</b>	<b>MAHOGANY</b>	<b>BRAZILIAN WALNUT</b>	<b>LIGHT WALNUT</b>	<b>GOLDEN OAK</b>	<b>WINCHESTER</b>	<b>TURNER OAK</b>
<b>FRR</b>	<b>FMA</b>	<b>FRB</b>	<b>FRP</b>	<b>FDE</b>	<b>FDW</b>	<b>FDT</b>



KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



KPRB REGEN 6 B




KPJ REGEN 1




REGEN  
INTERNAL SIDE


standard FITTINGS




extra charge FITTINGS



QUADRO INSERT COLOURS



FITTINGS COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



**KPE DREZNO 1**



**KPFB DREZNO 2 B**

<b>DOOR SIZE</b>	80	90N	90E	100E*
<b>DOOR HEIGHT (DUOTHERM / ALUTHERM)</b>	2076 mm / 2087 mm			

<b>MODEL</b>	<b>THERMO PREMIUM 60</b>	<b>THERMO PREMIUM 75</b>	<b>THERMO PRIME 75</b>
<b>KPE DREZNO 1 / KPFB DREZNO 1 B</b>	✓	✓	-
<b>KPF DREZNO 2 / KPFB DREZNO 2 B</b>	✓	✓	-
<b>KPH DREZNO 4 / KPFB DREZNO 4 B</b>	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

• SOLID DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
• 4 SIDES REBATED	• FITTINGS SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	

**EXTRA CHARGES**

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	1800 mm
RC3 PACKAGE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
KNOB-HANDLE	ROSTOCK HANDRAIL 2000 mm
REED SWITCH	DOOR SHORTENING KPH (10, 20, 30, 40 mm) KPE, KPF (10, 20, 30, 40, 60, 80, 100 mm)
SIZE 100E	
INSERT – OPPOSITE SIDE	<b>tedee PRO SET</b>
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**DOOR COLOURS**

<b>ALPINE WALNUT</b>	<b>MAHOGANY</b>	<b>BRAZILIAN WALNUT</b>	<b>LIGHT WALNUT</b>	<b>GOLDEN OAK</b>	<b>WINCHESTER</b>	<b>TURNER OAK</b>
<b>FRR</b>	<b>FMA</b>	<b>FRB</b>	<b>FRP</b>	<b>FDE</b>	<b>FDW</b>	<b>FDT</b>



KPH DREZNO 4



DREZNO  
INTERNAL SIDE



KPF DREZNO 2




KPH DREZNO 4




DREZNO  
INTERNAL SIDE

standard FITTINGS



extra charge FITTINGS



QUADRO INSERT COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N





**KPAB ERFURT 1 B**



**KPBB ERFURT 2**

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
KPA ERFURT 1 / KPAB ERFURT 1 B	✓	✓	✓	
KPB ERFURT 2 / KPBB ERFURT 2 B	✓	✓	✓	
KPC ERFURT 3 / KPCB ERFURT 3 B	✓	✓	✓	

**RC2 STANDARD EQUIPMENT\*\***

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
- FITTINGS SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK


**EXTRA CHARGES**

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED 1700 mm 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1000 mm
TWO-COLOUR DOOR	1800 mm
RC3 PACKAGE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1700 mm 1500 mm
KNOB-HANDLE	
REED SWITCH	ROSTOCK HANDRAIL 2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)
INSERT – OPPOSITE SIDE	tedee PRO SET
INTEGRATED CLOSER	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105


**DOOR COLOURS**

ALPINE WALNUT




FRR

MAHOGANY




FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

GOLDEN OAK




FDE

WINCHESTER



FDW

TURNER OAK



FDT



KPC ERFURT 3



ERFURT  
INTERNAL SIDE



KPA ERFURT 1



KPA ERFURT 1




ERFURT  
INTERNAL SIDE




KPAB ERFURT 1 B

standard FITTINGS



extra charge FITTINGS



QUADRO INSERT COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



ELF DAVOS



ELA BRIG

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
ELF DAVOS	✓	✓	✓	
ELA BRIG	✓	✓	✓	
ELB OLTEN	✓	✓	✓	
ELC VISP	✓	✓	✓	
ELD TRIN	✓	✓	✓	
ELE BERNO	✓	✓	✓	

**RC2 STANDARD EQUIPMENT\*\***

- SOLID DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- ELITE FRAMES
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
- FITTINGS SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK


**EXTRA CHARGES**

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	REED SWITCH
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC (NOT AVAILABLE FOR ELF)	SIZE 100E
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	FRAME – OPPOSITE SIDE
TWO-COLOUR DOOR	INTEGRATED CLOSER
RC3 PACKAGE	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	DOOR SHORTENING (10, 20, 30, 40 mm)
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	tedee PRO SET
KNOB-HANDLE	


FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**DOOR COLOURS**


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT




GOLDEN OAK



WINCHESTER



TURNER OAK






ELB OLTEN



ELC VISP



ELD TRIN




ELE BERNO



ELA BRIG



ELA BRIG  
INTERNAL SIDE



ELITE FRAMES

CLASSIC



MODERN



FITTINGS COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



DOOR COLOURS


LIGHT WENGE




WHITE




STEEL GRAY




ANTHRACITE




DARK ANTHRACITE



BLACK



TWO-COLOUR DOOR\*



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



NS1B MILANO 8 B



NS2 MILANO 9

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NS1 MILANO 8 / NS1B MILANO 8 B	✓	✓	✓	✓
NS2 MILANO 9 / NS2B MILANO 9 B	✓	✓	✓	✓
NS3 MILANO 10 / NS3B MILANO 10 B	✓	✓	✓	✓
NS4 MILANO 11 / NS4B MILANO 11 B	✓	✓	✓	✓
NS9 MILANO 12 / NS9B MILANO 12 B	✓	✓	✓	✓

RC2 STANDARD EQUIPMENT\*\*

- GLAZED DOOR LEAF
- THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
- OPTIMA – ALUMINIUM THRESHOLD
- THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- FITTINGS SET
- THERMO PRIME – ALUTHERM DOOR FRAME
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- OPTIMA – PERFOTHERM DOOR FRAME
- T. PRIME, T. PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR
- T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN
- OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
- APPLICATION ON DOOR PLANE
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- DOUBLE-SIDED DESIGN


EXTRA CHARGES

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
ALUTHERM 75 DOOR FRAME	1800 mm
ALUTHERM 60 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	1700 mm 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE
TWO-COLOUR DOOR	1800 mm 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY
THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION	1700 mm 1500 mm
KNOB-HANDLE	THERMO PREMIUM, THERMO PRIME – ROSTOCK HANDRAIL
REED SWITCH	2000 mm
SIZE 100E	DOOR SHORTENING NS1, NS2, NS3, NS9 (10, 20, 30, 40 mm) NS4 (10, 20, 30, 40, 60, 80, 100 mm)
THERMO PREMIUM, THERMO PRIME – INTEGRATED CLOSER	DOOR TO SIZE, INCREMENTS EVERY 10 mm, Hmax=2400 mm, Smax=1130 mm ONLY WITH ALUTHERM DOOR FRAME
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	tedee PRO SET THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK


no extra charge

FIXED GLAZED SIDE PANELS: PAGES 94-95, FULL EQUIPMENT LIST: PAGES 98-105

GLASS



DOOR COLOURS





NS3 MILANO 10



NS4 MILANO 11



NS9 MILANO 12



NS1B MILANO 8 B




NS1B MILANO 8 B  
INTERNAL SIDE




NS2 MILANO 9

standard FITTINGS



extra charge FITTINGS



INSERTS AND APPLICATION COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



NS5B HANOVER 5 B



NS6 HANOVER 6

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NS5 HANOVER 5 / NS5B HANOVER 5 B	✓	✓	✓	✓
NS6 HANOVER 6 / NS6B HANOVER 6 B	✓	✓	✓	✓
NS7 INNSBRUCK / NS7B INNSBRUCK B	✓	✓	✓	✓

RC2 STANDARD EQUIPMENT\*\*


<ul style="list-style-type: none"> <li>GLAZED DOOR LEAF</li> <li>THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED</li> <li>OPTIMA – 3 SIDES REBATED</li> <li>THERMO PRIME – ALUTHERM DOOR FRAME</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>OPTIMA – PERFOTHERM DOOR FRAME</li> <li>T. PRIME, T. PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>APPLICATION ON DOOR PLANE</li> <li>DOUBLE-SIDED DESIGN</li> </ul>	<ul style="list-style-type: none"> <li>THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>OPTIMA – ALUMINIUM THRESHOLD</li> <li>FITTINGS SET</li> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> <li>THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> </ul>
--	---

EXTRA CHARGES


CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKF, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm	2250 mm, 2300 mm	2350 mm, 2400 mm
ALUTHERM 75 DOOR FRAME			1800 mm
ALUTHERM 60 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL		1700 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	ELECTRIC STRIKE RECOMMENDED		1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK			1000 mm
TWO-COLOUR DOOR	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE		1800 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM			1700 mm
THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY		1500 mm
KNOB-HANDLE			1500 mm
REED SWITCH	THERMO PREMIUM, THERMO PRIME – ROSTOCK HANDRAIL		2000 mm
SIZE 100E			
THERMO PREMIUM, THERMO PRIME – INTEGRATED CLOSER	DOOR SHORTENING NS6 (10, 20, 30, 40 mm) NS5 (10, 20, 30, 40, 60, 80, 100 mm)		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	HANOVER – DOOR TO SIZE, INCREMENTS EVERY 10 mm, Hmax=2400 mm, Smax=1130 mm ONLY WITH ALUTHERM DOOR FRAME		
	tedee PRO SET		
	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK		<b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94-95, FULL EQUIPMENT LIST: PAGES 98-105

GLASS



DOOR COLOURS





**NS7 INNSBRUCK**



**NS7 INNSBRUCK  
INTERNAL SIDE**




**NS5 HANOVER 5**



**NS5B HANOVER 5 B**




**NS5B HANOVER 5 B  
INTERNAL SIDE**




**NS7 INNSBRUCK**

**standard FITTINGS**



**extra charge FITTINGS**



**INSERTS AND APPLICATION COLOURS**



**DOOR COLOURS**



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N





W00 PLAIN



W00 PLAIN

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	OPTIMA 50	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
W00 PLAIN	✓	✓	✓	✓	✓

**RC2 STANDARD EQUIPMENT\*\***

<ul style="list-style-type: none"> <li>SOLID DOOR LEAF</li> </ul>	<ul style="list-style-type: none"> <li>THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm</li> <li>OPTIMA – ALUMINIUM THRESHOLD</li> </ul>
<ul style="list-style-type: none"> <li>THERMO PRIME, THERMO PREMIUM – 4 SIDES REBATED</li> <li>OPTIMA – 3 SIDES REBATED</li> </ul>	<ul style="list-style-type: none"> <li>FITTINGS SET</li> </ul>
<ul style="list-style-type: none"> <li>THERMO PRIME – ALUTHERM DOOR FRAME</li> <li>THERMO PREMIUM – DUOTHERM DOOR FRAME</li> <li>OPTIMA – PERFOTHERM DOOR FRAME</li> <li>OPTIMA 50 – FB OR FN DOOR FRAME</li> </ul>	<ul style="list-style-type: none"> <li>T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN</li> <li>T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> <li>OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN</li> </ul>
<ul style="list-style-type: none"> <li>T. PRIME, T. PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> <li>OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING FITTING'S COLOUR</li> </ul>	<ul style="list-style-type: none"> <li>THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK</li> <li>THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK</li> </ul>

**EXTRA CHARGES**

CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, AVAILABLE COLOURS: FRP, FDE, FDW, FDT, FKG, FKf, FSB, ONLY WITH ALUTHERM DOOR FRAME	2150 mm, 2200 mm 2250 mm, 2300 mm 2350 mm, 2400 mm
ALUTHERM 75 DOOR FRAME	1800 mm
ALUTHERM 60 DOOR FRAME	AMSTERDAM / MONTREAL HANDRAIL 1700 mm
PERFOTHERM 50 DOOR FRAME	ELECTRIC STRIKE RECOMMENDED 1500 mm
THERMO PREMIUM – MORTISE LOCK 3-POINT 2-HOOK / AUTOMATIC	1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
TWO-COLOUR DOOR	1000 mm
RC3 PACKAGE	AMSTERDAM HANDRAIL 1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1500 mm
THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION	THERMO PREMIUM, THERMO PRIME – ROSTOCK HANDRAIL 2000 mm
KNOB-HANDLE	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
REED SWITCH	DOOR TO SIZE, INCREMENTS EVERY 10 mm, Hmax=2400 mm, Smax=1130 mm ONLY WITH ALUTHERM DOOR FRAME
SIZE 100E	
THERMO PREMIUM, THERMO PRIME – INTEGRATED CLOSER	tedee PRO SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK <b>no extra charge</b>

FIXED GLAZED SIDE PANELS: PAGES 94–95, FULL EQUIPMENT LIST: PAGES 98–105

**DOOR COLOURS**

ALPINE WALNUT	MAHOGANY	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	TURNER OAK
FRR	FMA	FRB	FRP	FDE	FDW	FDT



WOO PLAIN



WOO PLAIN  
INTERNAL SIDE



WOO PLAIN




WOO PLAIN




WOO PLAIN  
INTERNAL SIDE


standard FITTINGS



extra charge FITTINGS



FITTINGS COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N



SNUA MILANO 4 A



SNUA MILANO 4 A  
INTERNAL SIDE




SNUB MILANO 4 B




SNUB MILANO 4 B  
INTERNAL SIDE

standard FITTINGS



extra charge FITTINGS



INSERTS AND APPLICATION COLOURS



DOOR COLOURS



\* EXTRA CHARGE

\*\* FOR GLAZED DOORS RC2N

\*\*\* SPECIAL ORDER



SET GL



SET G



SET GP



SET L

## SIDE GLAZED PANELS\*

HEIGHT Hz	GLAZED PANEL / GLASS TYPE	WIDTH Ld/Pd						
		up to 300 mm	up to 400 mm	up to 500 mm	up to 600 mm	up to 700 mm	up to 800 mm	up to 900 mm
2087 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2200 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2400 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓

SIDE GLAZED PANEL STANDARD WIDTH IN 50 MM INCREMENTS. FOR 10 MM INCREMENTS – EXTRA CHARGE +25%

ALUTHERM DOOR FRAME		
SIZE	HEIGHT Hz	WIDTH Sc
80	standard 2087 mm	918 mm
90N	not standard:	988 mm
	2150 mm	
90E	2200 mm	1031 mm
	2250 mm	
100E	2300 mm	1131 mm
	2350 mm	
	2400 mm	

FOR DOORS WITH INTEGRATED CLOSER DOOR FRAME TOTAL HEIGHT +3,5 mm.

To get complete price for set please sum up:

for THERMO PRIME:

- door price
- side / top panel price

for THERMO PREMIUM I OPTIMA:

- door price
- ALUTHERM door frame extra charge,
- side / top panel price



**SET P**



**SET LP**




**SET LGP**

**TOP GLAZED PANELS\***

HEIGHT Hd	GLAZED PANEL / GLASS TYPE	WIDTH Ld/B/Pd				
		up to 1150 mm	up to 1550 mm	up to 1950 mm	up to 2350 mm	up to 2950 mm
300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓
300 mm	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓


TOP GLAZED PANEL STANDARD WIDTH IN 50 MM INCREMENTS. FOR 10 MM INCREMENTS – EXTRA CHARGE +25%



\* EXTRA CHARGE


CHOOSE YOUR DOOR COLOUR

ALPINE WALNUT




FRR

MAHOGANY



FMA

BRAZILIAN WALNUT




FRB

LIGHT WALNUT




FRP

WHITE




FSB

STEEL GRAY




FKZ

ANTHRACITE



FKG


DARK ANTHRACITE



FKF


CHOOSE YOUR DOOR COLOUR

**GOLDEN OAK**



**FDE**

**WINCHESTER**



**FDW**

**TURNER OAK**



**FDT**

**LIGHT WENGE**



**FEJ**

**BLACK**



**FKC**

**TWO-COLOUR\***



any colour  
external side

any colour  
internal side

To obtain a unique configuration of the door to our house, we can combine any two colors from the available palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge.


Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.

\* EXTRA CHARGE

STANDARD ACCESSORIES SETS



**PRAGA**  
HANDLE-HANDLE  
LONG ESCUTCHEON



**BERGEN**  
HANDLE-HANDLE  
SPLIT ESCUTCHEON



**PRAGA**  
HANDLE-HANDLE  
LONG ESCUTCHEON  
UPPER LOCK ESCUTCHEON  
WITHOUT CYLINDER  
PROTECTION



**BERGEN**  
HANDLE-HANDLE  
LONG ESCUTCHEON  
UPPER LOCK ESCUTCHEON  
WITHOUT CYLINDER  
PROTECTION

CYLINDERS SET, KEYED ALIKE SYSTEM, AB SYSTEM (for doors with mortise locks – single cylinder)

**CLASS 5**

NUMBER OF KEYS

**5 + 2**

PRAGA OR BERGEN ESCUTCHEON

**to choose from**

HINGE CAPS MATCHING FITTING'S COLOUR

✓

EVO – CLASS 5 LOCK CYLINDER



SECURITY CLASS

**CLASS 5**

MECHANISM DURABILITY

**100 000 cycles**

NUMBER OF PINS

**12 pins: 9 in two rows and 3 side pins**

KEY TYPE

**horizontal drilled**

NUMBER OF KEY CODE COMBINATIONS

**9 300 000**

RESISTANCE TO BURGLARY CLASS

**C**

RESISTANCE TO CORROSION CLASS

**C**

FIRE RESISTANCE

✓

ANTY-DRILLING

**two steel hardened nickel-plated anti-drilling pins in the body**

EMERGENCY FUNCTION

**no**

NUMBER OF KEYS

**5 keys made of 'new silver' (for final user)  
+ 2 brass keys (for installer)**

OTHER

**code card**

WARRANTY

**2 years**

tedee READY

**no**

AB SYSTEM



2 x Installer's keys  
Installer's key „A“ operates the cylinder until „B“ key is used by final user.



5 x final keys

Use of „B“ key deactivates installer's keys. A sealed opaque bag includes set of „B“ keys and code card.

FITTINGS COLOURS

PLATINUM ANODE




SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

LOCK CYLINDERS COLOURS

SATINE NICKEL



BLACK NICKEL





EXTRA CHARGE ACCESSORIES SETS



**PRAGA**  
KNOB-HANDLE  
LONG ESCUTCHEON



**BERGEN**  
KNOB-HANDLE  
SPLIT ESCUTCHEON



**BERGEN**  
KNOB-HANDLE  
LONG ESCUTCHEON ZAMEK  
UPPER LOCK ESCUTCHEON  
WITH CYLINDER  
PROTECTION



**AMSTERDAM / BERGEN**  
HANDRAIL-HANDLE  
RING ESCUTCHEON  
/ SPLIT ESCUTCHEON



**AMSTERDAM / PRAGA**  
HANDRAIL-HANDLE  
PRAGA ESCUTCHEON FOR HANDRAIL  
/ LONG ESCUTCHEON

THERMO PREMIUM – AUXILIARY LOCK CYLINDER WITH PROTECTION	✓
KNOB-HANDLE SET	✓
6 CLASS LOCK CYLINDERS, KEYED ALIKE SYSTEM	✓
ADJUSTMENT FOR HANDRAIL WITH PUSHBUTTON	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1700 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1500 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL ROSTOCK 2000 mm (ONLY FOR OUTWARD OPENING DOORS)	✓
tedee PRO SET	✓

VITA – CLASS 6 LOCK CYLINDER



SECURITY CLASS	<b>CLASS 6</b>
MECHANISM DURABILITY	<b>100 000 cycles</b>
NUMBER OF PINS	<b>6 active pins</b>
KEY TYPE	<b>vertical incised</b>
NUMBER OF KEY CODE COMBINATIONS	<b>100 000</b>
RESISTANCE TO BURGLARY CLASS	<b>D</b>
RESISTANCE TO CORROSION CLASS	<b>C</b>
FIRE RESISTANCE	✓
ANTY-DRILLING	<b>two steel hardened anti-drilling pins in the body and cylinder</b>
EMERGENCY FUNCTION	<b>standard in key-key version</b>
NUMBER OF KEYS	<b>5 brass nickel-plated keys (for final user) + 2 brass keys (for installer)</b>
OTHER	<b>security card</b>
WARRANTY	<b>5 years (registered product)</b>
tedee READY	✓

HANDRAILS

The visualizations show the door of a standard height of 2076 mm.





**ENTRY DOORS TORONTO INC.**

*Quality is not an act, it is a habit!*

Showroom address:

7321 Victoria Park Ave., unit 20 Markham, ON L3R 2Z8 Canada

tel: 647 800-162, 416 800-7737

web: <https://www.entrydoors-toronto.com>

email: [info@entrydoors-toronto.com](mailto:info@entrydoors-toronto.com)